

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|--|------------------|---------|------------------|
| L2 | 219 | primitive adj function | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/27 16:55 |
| L3 | 2 | L2 near (pin or core or block or cell or element) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/27 16:54 |
| L5 | 7 | L2 and HDL | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/27 16:55 |
| L6 | 35354 | (core same pin) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/27 17:11 |
| L7 | 117043 | (defin\$6 or creat\$3 or build\$3) near (function or block or heirarch\$5) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/27 17:11 |
| L8 | 1018 | L6 and L7 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/27 17:11 |
| L9 | 0 | L8 and (class same function) | JPO | OR | ON | 2006/03/27 17:11 |
| L10 | 0 | L6 and (pin near (characteristic or attribute or parameter or propert\$3)) | JPO | OR | ON | 2006/03/27 17:14 |
| L11 | 8128 | (core or pin) same rule | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/27 17:14 |
| L12 | 0 | L11 and (source or domain or root) | JPO | OR | ON | 2006/03/27 17:14 |
| S1 | 32 | datapath adj system | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:51 |

EAST Search History

| | | | | | | |
|-----|------|-----------------------------------|--|----|----|------------------|
| S2 | 9 | S1 and (pin or core) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:49 |
| S4 | 2 | S3 and (pin near rule) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:48 |
| S5 | 3 | S2 and (class\$3) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:49 |
| S6 | 32 | datapath adj system | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:52 |
| S7 | 212 | (core or pin) near rule | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:54 |
| S8 | 8127 | (core or pin) same rule | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 12:55 |
| S9 | 4293 | S8 and (source or domain or root) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/27 17:14 |
| S10 | 99 | S7 and (source or domain or root) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 13:10 |
| S11 | 43 | S9 and (core near pin) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 13:10 |
| S12 | 329 | S9 and (core same pin) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 14:36 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|----|----|------------------|
| S13 | 3 | S10 and (core near pin) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 13:10 |
| S14 | 5 | S10 and (core same pin) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 13:10 |
| S15 | 4 | S12 and ((system or pin) near (characteristic or attribute)) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 13:15 |
| S16 | 3 | S12 and (primitive near function) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 13:17 |
| S17 | 177 | S12 and ((execut\$3 or perform\$3) near (function or instruction)) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 14:24 |
| S18 | 1 | S17 and (class near \$2type) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 13:19 |
| S19 | 53 | S17 and (class) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 13:19 |
| S20 | 124 | S17 and (not S19) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 14:24 |
| S21 | 35346 | (core same pin) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 14:36 |
| S22 | 108 | S21 and (pin near (characteristic or attribute or parameter or propert\$3)) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/27 17:14 |

EAST Search History

| | | | | | | |
|-----|--------|---|--|----|----|------------------|
| S23 | 4 | S22 and (core near (characteristic or attribute or parameter or property\$3)) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 14:39 |
| S24 | 1 | S22 and (class near (rule or instruction)) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:01 |
| S25 | 1 | S22 and (class same (rule or instruction)) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:01 |
| S26 | 11 | S22 and (class) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:01 |
| S27 | 117017 | (defin\$6 or creat\$3 or build\$3) near (function or block or heirarch\$5) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:26 |
| S28 | 16 | S22 and S27 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:16 |
| S29 | 1018 | S21 and S27 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:29 |
| S30 | 18 | S29 and (wire near pins) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:27 |
| S31 | 18 | S29 and (wire near pin) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:27 |
| S32 | 1 | S29 and (route near pin) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:27 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| S33 | 18 | S29 and (rout\$3 near pin) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:27 |
| S34 | 146 | S29 and (class same function) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/27 17:11 |
| S35 | 6 | S29 and (class near function) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:29 |
| S36 | 1 | ("20030167161").PN. | US-PGPUB; USPAT | OR | OFF | 2006/03/27 14:45 |
| S38 | 5 | ((("6425109") or ("20050198601") or ("20030167161") or ("6298468") or ("6477691")).PN. | US-PGPUB; USPAT | OR | OFF | 2006/03/27 14:46 |
| S39 | 2 | S38 and class\$3 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/27 16:52 |